

ISSN: 2454-132X Impact Factor: 6.078 (Volume 10, Issue 1 - V10I1-1177) Available online at: https://www.ijariit.com

# Natural Filtration: How Soil Acts as a Cleansing Agent for Wastewater

Tejas Patil

tejaspatil6764@gmail.com Bharati Vidyapeeth College of Engineering, Bharati Vidyapeeth College of Engineering, Navi Mumbai. Maharashtra

Rishab Sharma sharmarishab296@gmail.com Navi Mumbai, Maharashtra

Maithil Patil maithilpatil26@gmail.com Bharati Vidyapeeth College of Engineering, Navi Mumbai, Maharashtra

Utkarsha Kharat utkarshakharat8@gmail.com Bharati Vidyapeeth College of Engineering, Navi Mumbai. Maharashtra

**Rignesh** Patil rigneshpatil159@gmail.com Bharati Vidyapeeth College of Engineering, Navi Mumbai, Maharashtra

Asmita Kulkarni asmitapd178@gmail.com Bharati Vidyapeeth College of Engineering, Navi Mumbai, Maharashtra

# ABSTRACT

Due to the unprecedented urban expansion, there has been an alarming surge in the demand for water, leading to an unsustainable depletion of groundwater resources. The accelerated rate at which these resources are tapped has outpaced any efforts for adequate replenishment, endangering the very foundation of our water supply. It is imperative that we not only safeguard existing water reservoirs but also explore alternative strategies to augment them. The responsible management and preservation of water resources are paramount for securing the future of our communities. As a result of this critical water scarcity, the concept of reusing water has emerged as an indispensable solution. One viable option involves harnessing treated wastewater effluents. The rapid urbanization has given rise to substantial sewage generation, contributing significantly to the contamination of water, soil, and air when discharged indiscriminately. To mitigate this environmental crisis, sewage must undergo treatment in dedicated facilities, yielding substantial quantities of effluents. The challenge at hand is to transform these effluents, which not only go to waste but also pose environmental threats, into a purified and reusable form. The pivotal question arises: how can the effluents from sewage treatment plants be efficiently converted into pristine water? Soil, a ubiquitous and cost-effective resource, emerges as a formidable solution. Renowned for its prowess as a physical, chemical, and biological filter, soil possesses the unique capability to act as a natural cleanser of water. The pressing national issue of water scarcity demands an innovative approach, and utilizing soil to transform sewage effluents into a valuable water source stands as a formidable task that requires our immediate attention and commitment.

Keywords: Filteration, sedimentation, biological, oxidation, denitrification, degradation, microorganisms, passivation, decomposition.

# I. INTRODUCTION

Indian towns and cities grapple with a significant challenge as they generate substantial amounts of sewage, often irresponsibly discharged into rivers, seas, or open grounds, thereby contributing to environmental pollution. The imperative to recycle this waste

extends beyond pollution control, presenting an opportunity to yield considerable quantities of clean water and offering a partial solution to the pervasive water scarcity issues affecting many regions of India.

Consider the staggering magnitude of the problem in Mumbai, a city with a population of 12 million, where a daily sewage output of 1,296,000 cubic meters is produced (calculated based on an assumed water consumption of 135 liters per person per day, with 80 percent of this water converted into sewage). If a mere 70 percent of this sewage could be reclaimed as clean water, Mumbai would be capable of generating 907,200 cubic meters of quality water every day.

While various wastewater recycling methods exist, the most straightforward and cost-effective approach involves allowing wastewater to percolate through adequately deep layers of suitable soil. This natural filtration process emerges as a practical and economical means of treating sewage, presenting the prospect of converting wastewater into a valuable source of clean water. Embracing such soil-based filtration techniques holds the potential to address environmental concerns, mitigate water pollution, and significantly contribute to easing the water scarcity challenges prevalent in many parts of India. It is a call to leverage simplicity and innovation in tandem for the sustainable management of water resources amid the expanding urban landscape.

## SOIL SAND FILTER

A soil sand filter, alternatively referred to as a sand filter or bio-sand filter, constitutes a water purification system meticulously engineered to eliminate impurities and contaminants from water. This straightforward yet highly effective technology proves particularly valuable for household water treatment, especially in regions grappling with restricted access to clean and safe drinking water. Here are some pivotal aspects of soil sand filters:

#### Design and Structure

*Container:* A soil sand filter typically comprises a container filled with various layers of sand and gravel. These layers consist of fine sand, coarse sand, and gravel, working collaboratively to filter out particles and pathogens from the water.

## Filtration Mechanism

*Physical Filtration:* The main mechanism of filtration is physical, occurring as water traverses through the diverse layers of sand and gravel. Complementing this process, beneficial microorganisms within the biofilm that forms on the sand grains actively participate in the biological degradation of certain organic contaminants.

*Contaminant Removal:* Suspended Solids: The sand filter adeptly eliminates suspended solids, sediments, and other particulate matter from the water.

*Pathogens:* The filtration process additionally diminishes the concentration of bacteria, viruses, and other pathogens in the water, thereby enhancing overall water quality.

**Operation and Maintenance:** Low-Tech: Soil sand filters are characterized as low-tech and user-friendly, requiring no electricity or advanced technical skills for operation. Maintenance: Routine maintenance entails cleaning the top layer of sand and periodically removing accumulated sludge.

#### Benefits

*Cost-Effective:* Soil sand filters offer a cost-effective solution, with relatively low construction and maintenance expenses. *Accessibility:* They are adaptable for deployment in rural or remote areas where access to traditional water treatment infrastructure is restricted.

*Improves Water Quality:* These filters play a pivotal role in enhancing water quality, rendering it safer for drinking and various domestic applications.

#### Limitations

*Flow Rate:* The water flow rate through the filter may be restricted, making the system less suitable for high-demand situations.

*Contaminant Specificity:* Although proficient in removing many contaminants, it's important to note that certain specific contaminants may not be entirely eliminated by a soil sand filter.

# Applications

Household Use: Widely employed for household water treatment in developing countries.

Community Projects: Implemented in community-based water supply projects.

It's essential to acknowledge that the efficacy of a soil sand filter may vary depending on design, construction, and local water quality conditions. Consistent monitoring and maintenance are imperative to ensure the sustained effectiveness of the system.

# **II. MEASURE FOR WATER PURIFICATION BY SOIL**

To specifically measure the effectiveness of soil in water purification, you can consider the following parameters and methods:

© 2024, <u>www.IJARIIT.com</u> All Rights Reserved

*Total Suspended Solids (TSS):* Measure the concentration of suspended particles in the water before and after passing through soil. A reduction in TSS indicates the soil's ability to trap and filter out particulate matter.

**BOD** (*Biochemical Oxygen Demand*) and COD (Chemical Oxygen Demand): Assess the levels of BOD and COD before and after water interacts with soil. These parameters indicate the amount of organic matter present and the oxygen required for its decomposition. A decrease in BOD and COD suggests effective organic pollutant removal.

*Nutrient Content:* Monitor the levels of nutrients such as nitrogen and phosphorus in the water before and after soil treatment. Soil can act as a sink for nutrients, helping to reduce their concentrations in water.

*pH Levels:* Measure the pH of the water before and after soil interaction. Soil can buffer changes in pH, and a stabilization or adjustment in pH levels may indicate the soil's role in water purification.

*Heavy Metal Analysis:* Analyze the water for heavy metal concentrations before and after passing through soil. Soil can adsorb heavy metals, reducing their levels in the water. Use techniques like atomic absorption spectroscopy or inductively coupled plasma mass spectrometry for accurate measurements.

*Microbial Content:* Evaluate the presence and abundance of bacteria and other microorganisms in the water before and after soil treatment. Soil microbes can contribute to the breakdown of organic pollutants.

*Turbidity:* Measure the water's turbidity before and after soil interaction. Turbidity indicates the cloudiness or haziness of a fluid caused by large numbers of individual particles. A reduction in turbidity suggests effective removal of suspended particles.

*Percolation and Infiltration Rates:* Evaluate the rate at which water percolates through the soil. Faster percolation rates may indicate better drainage and water movement through the soil, contributing to purification.

Adsorption Capacity: Assess the soil's ability to adsorb pollutants. Conduct experiments to measure the adsorption capacity of soil for specific contaminants, such as pesticides or organic compounds.

*Water Quality Index (WQI):* Calculate a comprehensive Water Quality Index that considers multiple parameters before and after soil treatment. This index provides a holistic assessment of water quality.

# **III. MECHANISM OF WATER QUALITY REGULATION BY SOIL**

Soil regulates and stores water through infiltration and percolation. Infiltration refers to the process of water entering the soil through the pores of the topsoil, and the process of infiltration and diffusion of water from the surface layer to the deep layer along the pores is termed percolation. These two processes significantly reduce surface runoff, alleviate the collection of precipitation in the rainy season and exert a significant impact on soil flow and groundwater recharge.

The regulation of water quality by soil involves a complex interplay of physical, chemical, and biological processes. Here's amore detailed look at the mechanisms through which soil influences and regulates water quality:

*Filtration and Physical Straining:* Soil acts as a physical filter, trapping and removing larger particles, sediments, and debris as water percolates through the soil profile. This process helps in reducing turbidity and suspended solids in water.

*Adsorption:* Soil particles, especially clay and organic matter, have a high surface area and a negative charge. This allows them to attract and bind with positively charged ions (cations) in water through a process called adsorption. Adsorption can remove contaminants such as heavy metals, pesticides, and certain organic compounds from the water.

*Cation Exchange Capacity (CEC):* CEC is a property of soil that describes its ability to hold and exchange cations. Soils with a higher CEC can retain more ions, influencing nutrient availability and aiding in the removal of certain contaminants through ion exchange.

*Chemical Precipitation:* Some soil minerals can induce chemical precipitation reactions with certain contaminants. This leads to the formation of insoluble compounds, effectively removing contaminants from the water through precipitation.

*Microbial Degradation:* Soil is home to a diverse microbial community, including bacteria and fungi. These microorganisms play a crucial role in decomposing organic matter through processes like mineralization and immobilization. Microbial activity can contribute to the reduction of organic pollutants and the breakdown of complex substances.

*Ion Exchange:* Soil minerals, particularly clay minerals, undergo ion exchange with water. Undesirable ions in the water can replace ions on the soil surfaces, leading to the removal of contaminants and improving water quality.

 Dilution and Dispersion: As water moves through soil, dilution occurs in larger pores, and dispersion involves the spreading of contaminants in the soil matrix. These processes can contribute to reducing the concentration of contaminants in the water.

 © 2024, www.IJARIIT.com
 All Rights Reserved
 Page /80

*pH Buffering:* Soil has the ability to buffer changes in pH. This is important because many chemical and biological processes are pH-dependent. The buffering capacity of soil helps maintain a stable pH in water, preventing extreme fluctuations that could affect water quality.

*Sorption and Desorption:* Sorption involves the attachment of contaminants to soil particles, while desorption is the release of previously sorbed contaminants. These processes are dynamic and influence the concentration of contaminants in the water.

*Redox Reactions:* Some soils undergo redox reactions, particularly those with variable saturation conditions. Redox reactions can influence the mobility and transformation of certain contaminants, such as iron and manganese.

## **IV. CONCLUSION**

Soil plays a pivotal role in positively influencing water quality purification mechanisms, employing processes such as adsorption and desorption, ion exchange, redox reactions, and metabolic decomposition. This impact is observed in various natural ecosystems, including forests, grasslands, wetlands, as well as in constructed wetlands (CWs) and farmland irrigated by wastewater. However, alterations in land-use patterns and intensive agricultural practices can have adverse effects on water quality, manifesting through soil erosion, nutrient leaching, and the dissolution of pollutants.

The development of an environmentally friendly and sustainable soil management approach is paramount for efficient resource utilization, crucial for maintaining and enhancing soil's ecosystem service function in water quality regulation.

Water quality regulation, a critical ecosystem service provided by soil, involves the mitigation of pollutants through precipitation, adsorption and desorption processes, ion exchange, redox reactions, and metabolic decomposition. Constructed wetlands, with soil as the optimal substrate, exhibit excellent performance in adsorption, passivation of pollutants such as nitrogen, phosphorus, and heavy metals, as well as the degradation of pesticides and emerging contaminants. Mangrove wetlands contribute significantly to coastal zone protection and restoration of coastal water quality, yet the excessive use of agricultural chemicals can lead to soil overload and non-point source pollution.

In the context of climate change and future food security challenges, the implementation of environmentally friendly and economically viable sustainable soil management practices becomes imperative. This requires accurate quantification of soil functions based on big data and modeling, ensuring the preservation of soil's water purification function.

Furthermore, soil regulates and stores water through the processes of infiltration and percolation. Infiltration involves water entering the soil through the topsoil's pores, while percolation refers to the movement of water from the surface layer to the deeper layers along these pores. These processes significantly reduce surface runoff, alleviate precipitation accumulation during the rainy season, and have a profound impact on soil flow and groundwater recharge.



#### V. REFERENCES Academic Journals Journal of Environmental Management Water Research Environmental Science & Technology Journal of Water Reuse and Desalination Ecological Engineering

#### Books

Wastewater Treatment by Natural and Constructed Wetlands" by Ronald W. Crites and Sherwood C. Reed. Constructed Wetlands for Wastewater Treatment: Municipal, Industrial and Agricultural" by R. Kadlec and R. Knight. Government Publications:

Reports from environmental agencies or departments, such as the Environmental Protection Agency (EPA) in your country.

### Websites

The World Health Organization (WHO) The United Nations Environment Programme (UNEP) Water-related research institutions and universities.