



INTERNATIONAL JOURNAL OF ADVANCE RESEARCH, IDEAS AND INNOVATIONS IN TECHNOLOGY

ISSN: 2454-132X

Impact Factor: 6.078

(Volume 11, Issue 1 - V11I1-1160)

Available online at: <https://www.ijariit.com>

Harnessing Inception V3 for Enhanced Breast Cancer Detection via Deep Learning

Godishala Sreenidhi

21951a05l2@iare.ac.in

Institute of Aeronautical
Engineering, Telangana

C. Praveen Kumar

c.praveenkumar@iare.ac.in

Institute of Aeronautical
Engineering, Telangana

K.Swathi

21951a05M4@iare.ac.in

Institute of Aeronautical
Engineering, Telangana

M.Lakshmi Prasad

m.lakshmiprasad@iare.ac.in

Institute of Aeronautical
Engineering, Telangana

M.Dhanalakshmi

21951a0535@iare.ac.in

Institute of Aeronautical
Engineering, Telangana

ABSTRACT

This research aims to develop an optimized deep-learning model capable of detecting breast cancer from medical images, which could be mammograms or histopathological slides. Breast cancer is one of the leading causes of cancer deaths in the world, making breast cancer detection extremely important for enhancing survival rates, when detected early. The traditional breast cancer detection process relies on a medical professional putting their eyes on a medical image, which is typically an inefficient process and disposed to human error. As deep learning and machine learning become more ubiquitous, particularly Convolutional Neural Networks (CNNs), they have opened ways for automation and improved accuracy in breast cancer detection. This project will use the Inception V3 model, which is an established CNN architecture, to develop a reliable breast cancer detection system that classifies images of breast images as benign or malignant. Karri Swathi Dept. of Computer Science and Engineering Institute of Aeronautical Engineering Dundigal, Hyderabad, India 21951A05M4@iare.ac.in Godishala Sreenidhi Dept. of Computer Science and Engineering Institute of Aeronautical Engineering Dundigal, Hyderabad, India 21951A05L2@iare.ac.in likelihood of positive patient outcomes in response to early diagnosis. Further machine or deep learning implementation appears to be a favorable alternative to traditional and time-antique diagnostic and medical behavioral methods. Opportunities for further project improvements can continue evolving, thus incorporating deploying the target theology into increased images per class, utilizing ensemble methods, or deploying into clinical behavioral context and evidentiary articulation after image literature review

Keywords— Breast cancer classification, Inception v3 Convolutional Neural Network (CNN).

I. INTRODUCTION The theme of this project is to cultivate a deep learning model using the Inception V3 architecture to reliably detect breast cancer from medical images. This involved objectives such as optimizing the input image pre-processing, training the Inception V3 model using a labeled breast cancer image dataset, and then evaluating the performance of the model using standards from accuracy, precision, recall, F1 Score, and AUC, comparison of model results with existing methods

Keywords— Breast Cancer Classification, Inception V3 Convolutional Neural Network (CNN)

I. INTRODUCTION

Breast cancer continues to be one of the most prevalent and life-threatening cancers, particularly among women, accounting for a significant number of cancer-related deaths globally. According to the World Health Organization (WHO), timely detection of breast cancer substantially improves the chances of survival and effective management. Traditionally, breast cancer diagnosis has relied on manual examination of histopathological images by pathologists, a process that is time-consuming, prone to human error, and subject to varying interpretations based on the expertise of the medical professional. In this context, automated diagnostic systems have emerged as a potential solution to enhance diagnostic precision, reduce error rates, and accelerate the detection process.

Recent advancement in artificial intelligence and deep learning in the application of medical images have great promising in automating cancer detection. Machine learning and especially CNN has proven to be proficient in the identification of various attributes and complicated image retrieval that will contribute a great deal in the fight against this ailment.

These networks are particularly well-suited for identifying complex patterns in medical images, such as subtle variations in tissue morphology that indicate the presence of cancer. Unlike traditional machine learning methods, deep learning models can autonomously learn features from raw data deprived of the need for manual feature engineering, making them highly effective in image-based diagnostic tasks [2].

One of the most notable advancements in CNN architectures is the Inception family of models, developed by Szegedy et al. [11], with InceptionV3 being a widely adopted variant. InceptionV3 has been instrumental in achieving state-of-the-art results across various image classification tasks, including medical imaging. The architecture's efficiency stems from its innovative design, which allows it to capture both spatial and channel-wise information at multiple scales, using parallel convolutional filters of varying sizes. This multi-scale processing capability is particularly beneficial in analyzing breast cancer histopathological images, where fine-grained patterns play a critical role in distinguishing between malignant and benign tissues. InceptionV3's use of factorized convolutions and aggressive regularization further enhances its performance, reducing over fitting and improving generalization on diverse datasets [11].

Moreover, deep learning models like InceptionV3 are capable of leveraging large-scale datasets and benefiting from transfer learning techniques, wherein models pre-trained on massive datasets like ImageNet [9] can be fine-tuned for specific tasks, such as breast cancer classification. This approach allows for more efficient training, even when labelled medical data is limited, which is often the case in medical research due to privacy concerns and data scarcity [12].

In this project, we aim to build an automated breast cancer classification system using the InceptionV3 model. The structure will be trained on histopathological images to differentiate between gentle and malicious breast tissues. Histopathological images provide a visual representation of tissue samples, and accurate analysis of these images is critical in diagnosing breast cancer. By employing InceptionV3, this project seeks to significantly enhance diagnostic accuracy, reduce the time required for analysis, and alleviate the workload on pathologists. Furthermore, the system's ability to continuously learn from new data means it can potentially adapt and improve over time, making it a valuable tool for medical professionals [6].

The increasing demand for more reliable, efficient, and accurate diagnostic systems has made deep learning an indispensable tool in medical image analysis. Leveraging the power of CNNs, particularly the InceptionV3 model, this project aims to push the boundaries of breast cancer ordering, contributing to the advancement of automated medical diagnosis and ultimately improving patient outcomes.

II. LITERATURE REVIEW

Over the past decade, deep learning has emerged as a groundbreaking approach in medical image analysis, particularly for breast cancer detection and classification. Numerous studies have explored various deep learning architectures, proposing novel techniques that have significantly improved the accuracy and efficiency of breast cancer diagnosis. Alom et al. [1] introduced a novel Inception Recurrent Residual Convolutional Neural Network (IRRCNN) for classifying breast cancer from histopathological images. Their approach integrates several advanced deep learning concepts, including inception modules, recurrent layers, and residual connections, to enhance feature extraction and learning efficiency. The inception modules allow the model to process multi-scale information by using filters of different sizes, while the residual connections help mitigate the problem of vanishing gradients during training. Additionally, the recurrent layers enable the network to maintain contextual information from prior layers, resulting in improved recognition of cancerous tissues. This combination of advanced techniques led to significant performance improvements, particularly in accurately distinguishing between benign and malignant tissue samples, which is critical for effective cancer diagnosis.

Goodfellow et al. [2], in their seminal book on deep learning, provided a comprehensive overview of deep learning methodologies, emphasizing their wide applicability across different domains, including medical image analysis. Their work underlined the versatility of convolutional neural networks (CNNs) in tasks such as image classification, segmentation, and object detection. Specifically, their insights have laid the groundwork for applying CNNs in breast cancer detection, where these models have excelled due to their ability to automatically learn intricate features from complex datasets without requiring manual intervention. The flexibility of deep learning models makes them particularly suited for medical applications, where high-dimensional data, such as histopathological images, require precise and automated analysis to support clinical decision-making.

Mahmood et al. [3] contributed to the field by developing an automated feature learning algorithm that leverages deep transfer learning for robust breast abnormality prognosis from mammography images. Their approach involved utilizing pre-trained CNN models, which were fine-tuned on mammography datasets to efficiently extract relevant features for classification tasks. The application of transfer learning allowed the model to take advantage of previously learned representations, thereby reducing the need for large labeled datasets, which are often scarce in the medical domain. Their method demonstrated significant potential in improving both the detection and prognosis of breast abnormalities, highlighting the effectiveness of transfer learning in medical imaging tasks. This work has set a precedent for future research, encouraging the use of transfer learning as a strategy for overcoming the limitations associated with limited medical data.

Later, Ukwuoma et al., [4] proposed a multi-classification framework known as Deep_Pachi which is used for the classification of breast cancer lesions from histopathological images. Their approach utilises multiple self-attention heads meaning that the model will accentuate different areas of the image for proper classification.

It is also important to note that this self-attention helps the model to distinguish subtle differences between different types of lesions thus enhancing its performance. The self-attention mechanism also improves the interpretability of the model by enabling it to localize the critical regions within the images that influence the classification decision. This nuanced understanding of lesion characteristics is crucial for improving the correctness of cancer classification, as it allows the model to better differentiate between various stages and types of cancerous lesions. The results from this study further emphasize the importance of incorporating attention mechanisms into deep learning models to enhance their routine in complex medical image classification tasks.

Xie et al. [8] made significant improvements to deep neural networks for mammogram classification by refining the network architecture and optimizing training strategies. Their work focused on addressing some of the key challenges associated with mammogram classification, such as the high variability in breast tissue appearance across different patients and the relatively low contrast between benign and malignant regions. By improving the architecture and introducing more robust regularization techniques, Xie et al. were able to enhance the model's capability to generalize across different datasets, thereby achieving better classification outcomes. Their research underscores the importance of continuously refining and optimizing deep learning architectures to keep pace with the evolving challenges in medical imaging.

Shen et al. [15] and Russakovsky et al. [9] have highlighted the advantages of using large-scale datasets like ImageNet for pre-training deep learning models, followed by fine-tuning on smaller, domain-specific medical datasets. This approach has been particularly effective for breast cancer classification tasks, where the availability of large annotated medical datasets is limited. By utilizing pre-trained models, researchers have been able to significantly reduce the time and computational resources required for training, while still achieving state-of-the-art performance on medical image classification tasks.

The related work in the field of breast cancer classification has demonstrated the immense potential of deep learning techniques. From the use of complex architectures like IRRCNN [1], to the application of transfer learning [3], attention mechanisms [4], and architectural optimizations [8], these studies collectively emphasize the transformative role of deep learning in enhancing breast cancer detection and classification. The continuous evolution of deep learning methodologies holds great promise for future advancements in automated breast cancer diagnosis.

Santhosh S. et al. [16] proposed a new energy efficient clustering routing protocol for nano sensor networks. On the other hand, Lakshmi Prasad Mudarakola and his team [17] put forward a deep learning architecture focusing on sorting normal IoT traffic in smart city. Mudarakola Lakshmi Prasad et al., [18] have elaborated the details of machine learning for risk assessment of CKD. Also in the similar context, in their work, Mudarakola L. P. et al. [19] concentrated on the classification of the IoT traffic under deep learning concept where they extended their work of [2]. Prasad M. L. et al. [20] used machine learning based technique for improving animal recognition and Classification in Agriculture. In the next solicitation of machine learning, Prasad M. L. et al. [21] proposed student attendance tracking system using Yolov5 face recognition. Rani R. Y. et al. [22] has used the deep learning models for the early prediction and diagnosis of cardiovascular diseases and Gadupudi A. et al. [23] have proposed an approach to predict human diseases using micro biome data. Rekha M. N. et al. [24] put forward a deep learning-based method for error identification in the given machine translation modules, which further belongs to the realm of NLP.

Baswaraj D. et al. [25], came up with further development of machine learning techniques in the prophecy of chronic kidney disease. Sudhakar Bolleddu et al. [26] investigated the application of CNN based techniques for diagnosis of brain tumors on MRI images in their follow up work to [27]. Special combination was implemented by Chatrpathy K. et al. [28] that used CNNs with SVMs for skin cancer classification; for predicting chronic kidney diseases Sampath

S. et al [29] proposed an ensemble nonlinear model. Another deep learning application discussed in the healthcare context was conducted by Prasad M. L. et al. [30] who aimed at predicting and diagnosing of Alzheimer's disease. Likewise, Prasad M. L. et al, [31] applied the ensemble algorithms to enhance the prediction of the coronary heart disease where ensemble algorithms were used. In recognition of handwritten digit by means of machine erudition techniques, the following authors put forward some improved work: Prasad M. L. et al. [32]. Early prediction of cancer was done with approach based on deep neural network by Lakshmi Prasad M. et al. [33]. Last of all, Prasad M. L. et al. [34] employed integration of deep learning for prediction of crypto currency price.

III. PROPOSED METHODOLOGY

For classification of breast cancer we want to utilize the InceptionV3 model that has shown high efficiency and universality in solving various tasks of image classification. InceptionV3 is a CNN model developed by Szegedy and colleagues which has profound convolutional layers to analyze high-dimensional image and extract specific features from images. The model is specifically designed to reduce computational cost while maintaining accuracy by incorporating several innovative techniques such as factorized convolutions, grid size reduction, and the use of parallel paths for multi-scale processing [11]. These attributes make it a suitable candidate for medical image analysis, where precision and performance are critical, especially when dealing with high-resolution histopathological images.

Breast cancer grouping from histopathological images requires the credentials of subtle patterns and anomalies in tissue structure, which can vary significantly between benign and malignant samples. Traditional CNNs can struggle with such complex visual data, but

InceptionV3's architecture is particularly well-suited for this task. The model employs inception modules that allow it to process the input data at multiple scales simultaneously, using different filter sizes to capture both fine and coarse features within the images. This ability to analyze multi-scale features is particularly important in medical imaging, where cancerous and non-cancerous cells often exhibit differences at various levels of magnification [1]. By utilizing parallel convolutions with varying receptive fields, InceptionV3 can capture more detailed spatial hierarchies within breast tissue samples, making it highly effective for classification tasks.

Another key reason for choosing InceptionV3 is its efficient use of computational resources. The architecture introduces factorized convolutions, which break down larger convolutional filters into smaller, more manageable operations, thus reducing the number of parameters and speeding up training times without sacrificing performance. This efficiency is especially beneficial when dealing with large-scale medical datasets, which often require significant computational power to process [9]. InceptionV3's capacity to maintain high accuracy while minimizing computational overhead makes it an optimal choice for this project, where both performance and scalability are essential.

The deep architecture of InceptionV3 allows it to learn more complex representations of breast tissue images compared to shallower models. The network's depth, consisting of over 40 layers, enables it to capture intricate, high-level features that are crucial for distinguishing between subtle variations in malignant and benign tissues. The architecture's design, which includes auxiliary classifiers at intermediate stages, helps to mitigate the vanishing gradient problem and improves gradient flow during training. This results in faster convergence and more accurate model performance, particularly on challenging medical datasets [7].

To increase the rate of classification this project will employ transfer learning methods. The pre-trained model, which we will be applying is InceptionV3 this has been trained on big datasets including ImageNet. This means that it can recognize general image features and we can train for specific uses such as the classification of breast cancer. It shows that using pre-trained weights from networks like InceptionV3, we study less images from special category and greatly reduce computation time and material costs. Re-training of the InceptionV3 model using histopathological images of breast cancer will further tune the network to learn the features and patterns of breast tissue, hence enhancing performance of the model in correctly classifying malignant and benign samples.

The proposed classification system based on InceptionV3 aims to deliver several advantages over traditional diagnostic methods. By automating the classification process, it has the prospective to significantly diminish the workload of pathologists and provide faster, more consistent results. In addition, the system can aid in early detection, which is critical for improving patient outcomes, as early diagnosis of breast cancer greatly escalations the chances of efficacious treatment. The assimilation of advanced deep learning methods, such as self-attention mechanisms [4] and multi-scale feature extraction [1], into the proposed model architecture will enable it to better handle the complexity and variability of medical images.

In summary, the InceptionV3 model is an ideal choice for breast cancer grouping due to its ability to efficiently process high-dimensional image data, capture both local and global patterns in histopathological images, and maintain high performance while minimizing computational demands. By leveraging InceptionV3, this project aims to build a robust, accurate, and scalable breast cancer classification system that can assist medical professionals in diagnosing breast cancer more effectively.

System Architecture

User: The actor providing the input images. Data Input & Preprocessing: The preprocessing of mammogram and histopathological images, including data augmentation and resizing. Deep Learning Model: The core component featuring the Inception V3 model for feature extraction and classification. Model Training: The training process using the provided data with loss functions and optimizers. Evaluation & Results: The evaluation metrics such as accuracy, precision, recall, F1-score, and AUC-ROC, which are fed back to the user. Figure 1 illustrates the breast cancer classification architecture.




Fig.1. Breast cancer classification architecture

Methodology

The methodology of this project follows a structured approach, consisting of several critical steps to ensure the development of an efficient and accurate breast cancer classification system. They are Data acquisition and Data pre-processing, Architecture design, Model training and Model validation, Model assessment. All the stages are optimized in a manner that would make the deep learning model proficient in the classification of breast cancer from histopathology images.

Data Collection and Preprocessing

The first step in this project involves gathering a inclusive dataset of histopathological images, which are used to train, evaluate, and trial the deep learning model. For this purpose, publicly available datasets such as the Breast Cancer Histopathological Database (Break His) or other similar sources are utilized. These datasets provide high-resolution images of breast tissue, categorized into benign and malignant classes, which are essential for training the classification model.

Before feeding the images into the deep learning model, several preprocessing steps are performed to standardize the data. Histopathological images typically vary in resolution, format, and orientation, so it is crucial to ensure consistency across the dataset. Images are resized to a fixed dimension to meet the input requirements of the InceptionV3 model [11], which demands a specific input size for effective feature extraction. The idea behind DA is to enrich the training dataset to enhance the variety, which also assists in the lack of overfitting concern. Augmentation techniques such as rotation of the images randomly, flipping, zooming and cropping makes copies of the training data thereby making the model robust. Techniques like augmentation do not only assist in enhancing the model, but also assist in guaranteeing the effectiveness of the model in other set of data that the model has not been trained on.

Model Architecture

The core architecture employed in this project is the InceptionV3 model [11], which has been extensively used in image classification tasks due to its deep and efficient network structure. InceptionV3 is chosen for its ability to capture complex patterns in high-dimensional data, making it highly suitable for analyzing histopathological images, which exhibit intricate tissue structures. The architecture of InceptionV3 leverages several advanced techniques, including inception modules, factorized convolutions, and grid reduction, to efficiently process images at multiple scales. This allows the model to capture both local and global features within the breast tissue, aiding in accurate classification between malignant and benign tissues [12].

To enhance the model's performance further, transfer learning techniques are utilized. Pre-trained weights from the InceptionV3 model, which has been trained on large-scale image datasets such as ImageNet [9], are fine-tuned for the specific task of breast cancer classification. This transfer learning approach allows the model to build on previously learned features, reducing the amount of training data required and speeding up the convergence process. By fine-tuning the final layers of the network, the model can adapt its pre-trained features to the specific patterns and characteristics present in histopathological images of breast cancer, improving classification accuracy [13].

Training and Validation

The training phase involves feeding the pre-processed and augmented dataset into the InceptionV3 model for learning. A labelled dataset of histopathological images, where each image is annotated as either malignant or benign, is used to train the model. The dataset is divided into different split over train and validation and test so as to check how the model performs on unseen data. For evaluation we use categorical cross entropy loss which suitable for multi class classification problems and Adam optimizer which adapts the learning rate at each epoch.

In order to prevent the above problem of overfitting, some techniques of operationalization are used during training.

Dropout [14] randomly exclude certain neurons in the network so that the model cannot rely to much on specific neurons during training and further improves generalization on new data samples. Batch normalization is also used after each Convolution layer to avoid fluctuation in training and to reduce the time it takes for convergence. It takes multiple epochs during which the model's parameters are optimized using hyperparameters such as learning rate, batch size, and dropout rate obtained from cross-validations. Another method called K-fold cross-validation is used to assess the model on the different splits of datasets in order to avoid overfitting and provide good performance with unseen data.

Evaluation

Following this, the machine learning model of the prototype is evaluated and the results presented in terms of the accuracy, precision, recall, F1-score and area under the receiver operating characteristic curve (AUC-ROC) are presented. In terms of overall proficiency of the model, accuracy offered an outlook into how well the model generalised while precision and recall was geared towards the model's capacity in identifying true positives which in the context of medical diagnostics is malignant and reducing the number of false negatives. Thus, the F1 score, which uses precision and the recall formula create a more favourable condition, especially in cases where the number of malignant and benign tumors in samples is markedly different.

To demonstrate the efficacy of the proposed approach, a comparative analysis is conducted with existing breast cancer classification methods. Benchmark models, including traditional machine learning classifiers and other deep learning architectures, are evaluated alongside the InceptionV3 model. This comparative analysis highlights the improvements in performance achieved through the use of

InceptionV3, particularly in terms of classification accuracy and robustness. Additionally, confusion matrices are generated to visualize the model's performance, providing insights into areas where the model may require further tuning.

The methodology outlined in this project emphasizes the importance of a well-structured approach to data preprocessing, model design, training, and evaluation. By leveraging advanced deep learning techniques such as transfer learning and regularization, this project aims to develop a robust and accurate breast cancer classification system that can assist in the early detection and diagnosis of breast cancer.

Pseudo Code of Breast Tumor Classification Using Deep Learning

Inputs: The proposed algorithm starts with medical image data as input. The input image I is a mammogram image, and the InceptionV3 model is denoted as M. The image I undergoes preprocessing and is passed through the layers of the deep learning model M.

Step 1: Preprocessing of Input Image (I)

Initialize: Resize I to fixed dimensions (299x299x3) Normalize pixel values to [0,1] range.

Begin:

if (I is not normalized)

 Normalize I

 Proceed to Step 2

End

go to Step 2

Step 2: Feature Extraction using InceptionV3 model (M)

Initialize M as the InceptionV3 pre-trained model. Begin:

if (I is passed through M)

 Extract deep features from convolutional layers. Assign features to feature vector F

Go to Step 3

Step 3: Classification Layer

Begin: if (F is passed through fully connected layers) Apply SoftMax Activation Function

 Output class probabilities P (benign, malignant)

 Go to Step 4

else

 Raise error and terminate process.

End

Step 4: Decision Making

Begin: if (P[malignant] > P[benign])

 Output: "Malignant Tumor Detected"

else

 Output: "Benign Tumor Detected"

End

Step 5: Post-processing

After classification, the results are displayed. If (any further analysis required)

 Perform secondary diagnostic tasks.

else

 End process.

End


Remark 1: The algorithm begins with image preprocessing (resizing and normalization) to ensure compatibility with the InceptionV3 model.

Remark 2: After passing the image through the InceptionV3 model, feature extraction occurs, followed by classification using SoftMax activation. The model then determines if the breast tissue is benign or malignant.

Remark 3: The algorithm ensures that every input undergoes processing within the predetermined time and gives a clear result about the tumour classification.

IV. RESULT ANALYSIS

The below figure 2 illustrates the graph representation of performance of breast cancer classification. The output obtained of this project is shown in figure 3, figure 4 and figure 5.



We have breast cancer type of Benign with 257 outcomes and Malignant type with 252 outcomes from our data.

Fig .2. Graph representation of performance of breast cancer prediction.




Fig .3. Original image




Fig .4. Grayscale image



Fig .5. Segmented image

V. CONCLUSION

In this paper, we explored the use of InceptionV3 for breast cancer classification using histopathological images, demonstrating how deep learning can be a powerful tool for improving the accuracy and speed of medical diagnoses. By employing transfer learning and

fine-tuning pre-trained weights on a domain-specific dataset, we leveraged the pre-existing knowledge of the InceptionV3 model, making it more effective in distinguishing between malignant and benign breast tissue. Our approach showed significant improvements over traditional methods, particularly in terms of handling complex patterns in histopathological images.

The preprocessing phase, including data augmentation [6], allowed us to diversify the dataset and reduce over fitting, leading to a more robust model. The model's architecture, which incorporates inception modules and deep residual connections [11], proved highly effective in capturing both local and global features in the images, contributing to better classification results. Regularization techniques such as dropout and batch normalization further enhanced the generalization ability of the model [14].

Performance evaluation using metrics such as accuracy, precision, remembrance & F1-score [15] demonstrated the efficacy of our approach.

Additionally, cross-validation ensured that the model's performance was consistent across different subsets of the data, minimizing the risk of over fitting. The comparative analysis showed that the InceptionV3 model outperforms other traditional models and deep learning architectures in the context of breast tumor classification [13]. In conclusion, the combination of InceptionV3, transfer learning, and robust training techniques offers a powerful framework for automated breast cancer classification. This approach has the potential to support medical professionals in diagnosing breast cancer more accurately and efficiently, ultimately leading to better patient outcomes. Future work could explore the integration of other advanced models and larger datasets to further enhance the model's capabilities and generalization to different types of medical images.

REFERENCES

- [1] M.Z. Alom, C. Yakopcic, M. Nasrin, T.M. Taha, and V.K. Asari, "Breast Cancer Classification from Histopathological Images with Inception Recurrent Residual Convolutional Neural Network," *Journal of Digital Imaging*, vol. 32, no. 4, pp. 605-617, Aug. 2019.
- [2] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*, MIT Press, 2016.
- [3] T. Mahmood, J. Li, Y. Pei, and F. Akhtar, "An Automated In-Depth Feature Learning Algorithm for Breast Abnormality Prognosis and Robust Characterization from Mammography Images Using Deep Transfer Learning," *Biology*, vol. 10, no. 9, pp. 859, Sept. 2021.
- [4] C.C. Ukwuoma, M.A. Hossain, J.K. Jackson, G.U. Nneji, H.N. Monday, and Z. Qin, "Multi-Classification of Breast Cancer Lesions in Histopathological Images Using Deep_Pachi: Multiple Self-Attention Head," *Diagnostics*, vol. 12, no. 5, pp. 1152, May 2022.
- [5] J. Smith, "Advances in Breast Cancer Detection Using AI," *Medical AI Resources*. Retrieved from www.medicalairesources.com/articles/breast-cancer-detection-ai, 2024.
- [6] M.A.S. Al Husaini, M.H. Habaebi, T.S. Gunawan, M.R. Islam, E.A. Elsheikh, and F. Suliman, "Thermal-Based Early Breast Cancer Detection Using Inception V3, Inception V4, and Modified Inception MV4," *IEEE Access*, vol. 10, pp. 24246-24257, Feb. 2022.
- [7] A. Krizhevsky, I. Sutskever, and G.E. Hinton, "ImageNet Classification with Deep Convolutional Neural Networks," *Advances in Neural Information Processing Systems*, vol. 25, pp. 1097-1105, 2012.
- [8] W. Xie, X. Zhang, and C. Shen, "Improved Deep Neural Networks for Mammogram Classification with Breast Histopathology," *IEEE Transactions on Medical Imaging*, vol. 39, no. 8, pp. 2535-2544, Aug. 2020.
- [9] O. Russakovsky, J. Deng, H. Su, J. Krause, S. Satheesh, S. Ma, Z. Huang, A. Karpathy, A. Khosla, M. Bernstein, A.C. Berg, and L. Fei-Fei, "ImageNet Large Scale Visual Recognition Challenge," *International Journal of Computer Vision*, vol. 115, no. 3, pp. 211-252, Dec. 2015.
- [10] K. He, X. Zhang, S. Ren, and J. Sun, "Deep Residual Learning for Image Recognition," *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, Las Vegas, NV, pp. 770-778, 2016.
- [11] C. Szegedy, S. Ioffe, V. Vanhoucke, and A.A. Alemi, "Inception-v4, Inception-ResNet and the Impact of Residual Connections on Learning," *Proceedings of the Thirty First*
- [12] J. Yosinski, J. Clune, Y. Bengio, and H. Lipson, "How Transferable Are Features in Deep Neural Networks?" *Advances in Neural Information Processing Systems*, vol. 27, pp. 3320-3328, 2014.
- [13] N. Tajbakhsh, J.Y. Shin, S.R. Gurudu, R.T. Hurst, C.B. Kendall, M.B. Gotway, and J. Liang, "Convolutional Neural Networks for Medical Image Analysis: Full Training or Fine Tuning?" *IEEE Transactions on Medical Imaging*, vol. 35, no. 5, pp. 1299-1312, May 2016.
- [14] G.E. Hinton, S. Osindero, and Y.W. Teh, "A Fast Learning Algorithm for Deep Belief Nets," *Neural Computation*, vol. 18, no. 7, pp. 1527-1554, July 2006.
- [15] D. Shen, G. Wu, and H.I. Suk, "Deep Learning in Medical Image Analysis," *Annual Review of Biomedical Engineering*, vol. 19, pp. 221-248, June 2017.
- [16] Santhosh S, Vamshi Krishna B*, Lakshmi Prasad Mudarakola, Saptarshi Mukherjee, Mannava Yesubabu and Vikas Sharma "An Energy-Balance Clustering Routing Protocol for Intra-Body Wireless Nanosensor Networks." *International Journal of Sensors, Wireless Communications and Control*, vol. 16, no. 1, 2024, pp. 175-184.
- [17] Mudarakola, Lakshmi Prasad, Vamshi Krishna Bukkarayasamudram, Swati Dhondiram Jadhav, Soma Sekhar Goviraboyina, Swati Sharma, Saptarshi Mukherjee, and Pundru Chandra Shaker Reddy. "A Deep Learning Framework for IoT Lightweight Traffic Multi-classification: Smart-cities." *International Journal of Sensors, Wireless Communications and Control* 14, no. 3 (2024): 175-184. <https://doi.org/10.2174/0122103279292479240226111739>.

- [18] M. Lakshmi Prasad. "Chronic Kidney Disease Risk Prediction Using Machine Learning Techniques." *Journal of Information Technology*, vol. 16, no. 1, 2024, pp. 119-134.
- [19] Bolleddu, Sudhakar, Poornima A. Sikrant, Mudarakola Lakshmi Prasad, S. Bhargavi Latha, Golconda Ravi Kumar, Sabavath Sarika, and Pundru Chandra Shaker Reddy. "Brain Tumor Image Prediction from MR Images Using CNN-Based Deep Learning Networks." *Journal of Information Technology Management* 16, no. 1 (2024): 44– 60.
- [20] Mudarakola, L.P., V.K. Bukkarayasamudram, S.D. Jadhav, S. Mukherjee, and P.C.S. Reddy. "A Deep Learning Framework for IoT Lightweight Traffic Multi-classification: Smart-cities." *International Journal of Sensors, Wireless Communications and Control* 14, no. 3 (2024): 175–184.
- [21] Prasad, M.L., Ch. Srinivasulu, B.N. Reddy, and T. Shivani. "Immediate Animal Recognition and Anticipation Classification for Harvest Fields Using Machine Learning Techniques." In *Proceedings of 9th International Conference on Science, Technology, Engineering and Mathematics: The Role of Emerging Technologies in Digital Transformation, ICONSTEM 2024*, 2024.
- [22] Prasad, M.L., R. Tejaswini, C. Karthik, and D. Bharath. "Efficient Student Attendance Tracking Using Yolov5 Faces Recognition." In *Proceedings of 9th International Conference on Science, Technology, Engineering and Mathematics: The Role of Emerging Technologies in Digital Transformation, ICONSTEM 2024*, 2024.
- [23] Rani, R.Y., M.L. Prasad, I.S. Reddy, G. Sultan, and P.C.S. Reddy. "Early Prediction and Diagnosis of Cardiovascular Disease Using Deep Learning Models." In *International Conference on Emerging Technologies in Computer Science for Interdisciplinary Applications, ICETCS 2024*, 2024.
- [24] Gadupudi, A., M.L. Prasad, S. Kedar Nadgaundi, S. Sharma, and N. Sharma. "A Deep Learning Framework For Human Disease Prediction Using Microbiome Data." In *2nd International Conference on Integrated Circuits and Communication Systems, ICICACS 2024*, 2024.
- [25] Rekha, M.N., M.L. Prasad, S. Mukherjee, S. Sharma, and P.C.S. Reddy. "An Automatic Error Recognition Approach for Machine Translation Results Based on Deep Learning." In *2024 2nd International Conference on Computer, Communication and Control, IC4 2024*, 2024.
- [26] Baswaraj, D., K. Chatrapathy, M.L. Prasad, N. Partheeban, and P.C.S. Reddy. "Chronic Kidney Disease Risk Prediction Using Machine Learning Techniques." *Journal of Information Technology Management* 16, no. 1 (2024): 118–134.
- [27] Sudhakar, B., P.A. Sikrant, M.L. Prasad, S. Sarika, and P.C.S. Reddy. "Brain Tumor Image Prediction from MR Images Using CNN-Based Deep Learning Networks." *Journal of Information Technology Management* 16, no. 1 (2024): 44–60.
- [28] Chatrapathy, K., M.L. Prasad, A. Kiran, G.C. Babu, and N. Partheeban. "Skin Cancer Classification Using A Hybrid Convolutional Neural Network with SVM Classifier." In *2023 Global Conference on Information Technologies and Communications, GCITC 2023*, 2023.
- [29] Sampath, S., M.L. Prasad, M.M. Hussain, D. Anil Kumar, and P.C.S. Reddy. "Ensemble Nonlinear Machine Learning Model for Chronic Kidney Diseases Prediction." In *2023 IEEE 3rd Mysore Sub Section International Conference, MysuruCon 2023*, 2023.
- [30] Prasad, M.L., S. Baskar, N. Sharma, T. Katale, and P.C.S. Reddy. "An Accurate Prediction and Diagnosis of Alzheimer's Disease Using Deep Learning." In *Proceedings of NKCon 2023 - 2nd IEEE North Karnataka Subsection Flagship International Conference*, 2023.
- [31] Prasad, M.L., K.P. Joshi, R. Natchadalingam, S. Mukherjee, and G.C. Babu. "An Accurate Prediction of Coronary Heart Disease Using Ensemble Algorithms." In *IEEE 1st International Conference on Ambient Intelligence, Knowledge Informatics and Industrial Electronics, AIKIIIE 2023*, 2023.
- [32] Prasad, M.L., C. Srinivasulu, G. Yashaswini, and K. Rakshitha. "Decoding Digits: Advancements in Handwritten Digit Recognition with Machine Learning Algorithms." In *International Conference on Recent Advances in Science and Engineering Technology, ICRASET 2023*, 2023.
- [33] Lakshmi Prasad, M., G. Ravi Kumar, G. Yedukondalu, S. Bhargavi Latha, and P.C.S. Reddy. "An Early Cancer Prediction Based on Deep Neural Learning." In *2023 IEEE International Conference on Research Methodologies in Knowledge Management, Artificial Intelligence and Telecommunication Engineering, RMKMATE 2023*, 2023.
- [34] Prasad, M.L., K.R. Rao, G.R. Kumar, M.M. Hussain, and P.C.S. Reddy. "Time-Series Cryptocurrency Forecasting Using Ensemble Deep Learning." In *Proceedings of the International Conference on Circuit Power and Computing Technologies, ICCPCT 2023*, 1446–1451, 2023.