



INTERNATIONAL JOURNAL OF ADVANCE RESEARCH, IDEAS AND INNOVATIONS IN TECHNOLOGY

ISSN: 2454-132X

Impact factor: 4.295

(Volume 3, Issue 6)

Available online at www.ijariit.com

Development of Therapeutic Flour and Prepare Standardized Recipe

Shikha Singh

Babasaheb Bhimrao Ambedkar University, Vidya Vihar,
Rae Bareli Road, Lucknow, Uttar Pradesh
shikha31195@gmail.com

Neetu Singh

Babasaheb Bhimrao Ambedkar University, Vidya Vihar,
Rae Bareli Road, Lucknow, Uttar Pradesh
hipineetu@gmail.com

Abstract: Therapeutic flour is developed by the mixing of rice bran, chickpea peel and whole wheat flour in different ratio(s) and better results obtained in the ratio(s) of rice bran, chickpea peel and whole wheat flour in 10:10:80 in the development of therapeutic flour and prepare recipes by using therapeutic flour and test characteristics supported by the hedonic scale. One major product were developed using different composite flour i.e. therapeutic flour chilli, (rice bran+chickpea peel+ wheat flour). The developed product was evaluated on various parameters: sensory evaluation & nutritional analysis. Sensory evaluation of prepared product was carried out using 9 points hedonic scale.

Keywords: Therapeutic Flour, Rice Bran, Chickpea Peel, whole wheat Flour.

INTRODUCTION

Survey of the literature reveals that rice bran, for us various health benefits due to the content of antioxidants vitamin A, vitamin E, B vitamins, and essential fatty acids. Rice bran's antioxidants work through different processes to result in positive effects on the biological system. **Rice bran** is a highly nutritious compound as it is a rich source of oryzanols, tocopherols, tocotrienols, phytosterols, and dietary fibers. **Chickpea peel** is the high protein content, making it an ideal option for vegetarians who want to ensure they have proper nutrient intake full of protein, fiber, and iron, and makes a healthy and colorful addition to any meal. Beneficial for **Diabetic Management**, Blood sugar management, & soon. **Whole wheat flour** is rich in catalytic elements, minerals salts, Calcium, Magnesium, Potassium, Zinc, Iodine, Copper, Vitamin B and Vitamin E. it can help control blood sugar, lower, obesity. LDL or "bad" cholesterol, and reduce colon cancer risk. In the era of increasing diseases among people, foods are required for better nutritional management. While considering the nutritional management staple foods play an important role in our day to day life. Now a days fortified flours and blended flours are available in the market. But the demand for supply needed more search to fulfill the requirement of people the present study is a noble step to meet out this problem and also provide better nutritional management or for curing health hazards.

Material & Method: The present study was conducted in the laboratory of Food Science & Technology and RFRAC, Lucknow. The sample was consist of Rice bran, chickpea peel & wheat flour.

The Sampling is Given Below

Ingredient	Sample 1 (10%)	Sample 2 (15%)	Sample 3 (20%)	Sample (control)
T1	10gm	10gm	15gm	100gm
T2	10gm	20gm	20gm	-
T3	80gm	70gm	65gm	-

Where, T1= Rice Bran, T2=.Chickpea Peel, T3= Wheat Flour

Preparation of therapeutic flour blend with Rice bran, chickpea Peel, wheat Flour

Tools: Rice bran, chickpea peel, and whole wheat, Weighing machine, Meeling Machine, Container, etc.

Technique:



Fig: Flow Chart for the Manufacturing of Therapeutic Flour

The developed therapeutic flour was developed using a different ratio of Rice Bran, Chickpea Peel & Wheat Flour. Rice Bran, Chickpea Peel & Wheat were taken for the nutritional enrichment of Therapeutic flour. Rice Bran was separated from the whole rice, washed thoroughly and drained. Wheat was washed and tops, as well as bran, were removed and drained. So immediately food processor. The preparation of three different variations of one flour product for the experiment by Rice bran, chickpea peel, and whole wheat flour combination.

Preparation of Experiment

This phase mainly deals with the preparation of three different variations of one flour product for the experiment by Rice bran, chickpea peel, and whole wheat flour combinations.

Tools: Rice bran, chickpea peel, and whole wheat Weighing machine, Meeling machine, Container, etc.

Product Development

Treatment for the preparation of therapeutic Flour Chilla

- T₁. Whole wheat flour + 5% Rice bran + 5% chickpea peel
- T₂. Whole wheat flour + 5% Rice bran + 10% chickpea peel
- T₃. Whole wheat flour (Control)

Chilla Making Procedure Flow Chart



Fig: Flow chart of Making Chilla

The preparation of three different variations of one flour product for the experiment by Rice bran, chickpea peel, and whole wheat flour combination.

Result

Sensory Evaluation

Sensory evaluation of therapeutic flour was done by the 5 member panelist.

The ratio of ingredients for three samples are taken in different ways:

Table: Ratio of Ingredients


Treatments	Sample Preparation	Ratio of Ingredients
T ₁	Rice bran + chickpea peel + whole wheat flour	10:10:80
T ₂	Rice bran + chickpea peel + whole wheat flour	5:10:85
T ₃	Rice bran + chickpea peel + whole wheat flour	20:30:50

Parameter 1- Flavour and Taste

Table: Individual markings for Flavour and Taste

Members	T1	T2	T3
1	9	7	5
2	8	6	6
3	8	6	5
4	7	6	6
5	8	6	6
Total	40	31	28

Fig: Graphical Representation- Flavor and Taste



From the above graph, it shows that the sample T1 is most accepted among the panelist members and it gets highest scoring, then after sample T2 and sample T3 respectively.

Parameter 2. Body and Texture

Table: Individual Markings- Body and Texture

Members	T1	T2	T3
1	7	7	6
2	7	6	6
3	7	6	6
4	8	6	6
5	8	5	5
Total	37	30	29




Fig. : Graphical Representation- Body and Texture

From the above graph it shows that the sample T1 is most accepted among the panelist members and it get highest scoring, then after sample T2 and sample T3 respectively

Parameter 3- Colour and Appearance

Table: Individual Markings- Colour and Appearance

Members	T1	T2	T3
1	7	7	5
2	8	7	8
3	7	7	7
4	7	6	7
5	8	7	6
Total	37	34	33




Fig.28: Graphical Representation- Colour and Appearance

From the above graph it shows that the sample T1 is most accepted in terms of colour and appearance among the sensory panellist members and it gets the highest scoring, then after sample T1 and T2 respectively

Parameter4- Overall Acceptability

Table- Individual Markings- Overall Acceptability

Members	T1	T2	T3
1	8	7	5
2	8	8	7
3	8	8	8
4	7	5	5
5	8	7	6
Total	39	35	31




Fig- Graphical Representation- Overall Acceptability

From the above graph, it shows that the sample T1 is most accepted overall among the sensory panelist members and it gets the highest scoring, then after sample T2 and T3 respectively.

The overall quality of therapeutic flour with 10% Rice bran & 10% chickpea peel & 80% wheat flour was the most acceptable in all the parameters of quality.

Parameter 5 -Overall Calculation

Overall calculation is done to know most acceptability of the product in all terms of quality by sensory evaluation scoring given by the panelist members, in this all scoring of texture, colour, Flavour, and taste are calculated in the table, by this we get do statistical analysis and obtained standard deviation, average and other calculations.

Table - Overall Calculation

Parameters	T1	T2	T3
1	40	31	28
2	37	30	29
3	37	34	33
4	39	35	31
Total	153	130	121
Average	38.25	32.5	30.25
Standard Deviation	1.5	2.38	2.21




Fig. - Graphical Representation- Overall Calculation

In this table of overall calculation, we got the average of T1, T2, and T3 as 1.5, 2.38 and 2.21 respectively. Sample T1 with the highest average and low standard deviation is most accepted statically, hence T1 is most accepted.

REFERENCES

1. Renu Sharma et al. *Int. Journal of Engineering Research and Applications* www.ijera.com ISSN: 2248-9622, Vol. 5, Issue 5, (Part -2) May 2015, pp.107-112
2. Jukanti, A.K., Gaur, P.M., Gowda, C.L.L. and Chibbar, R.N., 2012. Nutritional quality and health benefits of chickpea (*Cicer arietinum* L.): a review. *British Journal of Nutrition*, 108(S1), pp.S11-S26
3. Salehifar, M. and Fadaei, V., 2011. Comparison of some functional properties and chemical constituents of dietary fibers of Iranian rice bran extracted by chemical and enzymatic methods. *African Journal of Biotechnology*, 10(80), pp.18528-18531.
4. R. Sivashankar, S. A. Srinivasan, S. Shankar, R. Rajasekar, R. Naveen Kumar, P. Sathish Kumar. "Review article on wheat flour/wheat bran/wheat husk based bio-composites," *International Journal of Scientific and Research Publications*, Vol.4, No. 4, 2014.