



INTERNATIONAL JOURNAL OF ADVANCE RESEARCH, IDEAS AND INNOVATIONS IN TECHNOLOGY

ISSN: 2454-132X

Impact factor: 4.295

(Volume 5, Issue 2)

Available online at: www.ijariit.com

Fingerprint detection using enhanced minutiae singular point matching technique

Rozi Kumari

chauhanrozi5757@gmail.com

Adesh Institute of Engineering and Technology,
Faridkot, Punjab

Puneet Jain

puneetjain@gmail.com

Adesh Institute of Engineering and Technology,
Faridkot, Punjab

ABSTRACT

Fingerprint matching is the procedure used to decide if two arrangements of unique finger impression edge detail originate from a similar finger. There exist numerous calculations that do unique mark coordinating from single points of view. A few techniques include coordinating details focuses between the two pictures, while others search for likenesses in the greater structure of the unique finger impression. In this proposed work, we propose a method for fingerprint matching based on singular point minutiae matching technique. The term "minutia" is used to refer to small ridge details found in fingerprints; most often, they are termed as main points described on ridge structures. Minutiae p_i and q_i are considered to coordinate if their traits are inside a certain Limit.

Keywords— Fingerprint pattern matching, Minutiae, FRR, FAR, ROC, EER

1. INTRODUCTION

1.1. Fingerprint

There are numerous kinds of calculations to do the acknowledgement or check. But unique finger impression acknowledgement is a standout amongst the most mainstream and fruitful technique utilized for individual recognizable proof; which exploits the way that the unique mark has some special qualities called particulars.



Fig. 1: A fingerprint image using an optical sensor

Details are focuses where the edges and bifurcation focuses are available a unique mark picture. A basic advance in concentrate

the measurement of unique finger impression details is to dependably extricate particulars from the unique mark pictures. Anyway, unique mark pictures are infrequently of immaculate quality. Unique mark picture upgrade methods are utilized preceding details extraction to get a progressively dependable estimation of particulars areas.

1.2. Fingerprints as used for identification

Fingerprint identification is the way toward looking at addressed and realized grinding skin edge impressions from fingers to decide whether the impressions are from a similar finger. Unique mark recognizable proof happens when a specialist confirms that two rubbing edge impressions started from a similar finger to the prohibition of all others.

A realized print is the deliberate chronicle of the erosion edges, more often than not with dark printers ink moved over a differentiating white foundation, regularly a white card. Grating edges can likewise be recorded carefully utilizing a strategy called Live-Scan. A dormant print is the opportunity generation of the rubbing edges stored on the outside of a thing. Dormant prints are regularly fragmentary and may require concoction strategies, powder, or elective light sources so as to be imagined. At the point when erosion edges interact with a surface that is open to a print, material on the edges, for example, sweat, oil, oil, ink, and so on can be exchanged to the thing. The elements which influence grating edge impressions are various, in this manner expecting inspectors to experience broad and target consider so as to be prepared to competency.

2. LITERATURE SURVEY

Jin Fei Lim[1] In this paper maker portrays a direct crossbreed methodology that improves the execution of one of a kind imprint affirmation technique by merging subtleties based and picture based strategies, isolating features from the two frameworks to reimburse the obstructions of every one of them. Comes about show that the proposed crossbreed technique is fit for achieving better affirmation rate. Also, examinations demonstrate that the rate of equivalence score and the Euclidean detachment figuring are both upgraded, overall.

Feng Liu [2] this paper proposes an end-to-end answer for customer approval structures in light of touchless novel finger impression pictures in which a multitier framework is gotten to accumulate pictures and the generous one of a kind imprint feature of the touchless picture is expelled for organizing with high affirmation accuracy. Even more especially, a touch less multitier special imprint get the device is expected to make three points of view of rough pictures made after by preprocessing strides including locale of interest (ROI) extraction and picture change. The DIP based segment is then removed and facilitated to see the human's character in which part assurance is familiar with upgrade planning viability. Examinations are composed on two sessions of touchless multi-view exceptional engraving picture database with 541 fingers got around fourteen days separated. An EER of 1.7% can be developed by utilizing the proposed DIP-based section, which is gigantically improved than contactless outstanding finger impression attestation by utilizing scale invariant segment change (SIFT) and focal points highlights. The given blend comes about to demonstrate that it is sensible to join the DIP-based portion, nuances, and SIFT fuse for contactless novel engraving confirmation frameworks. EER is as low as 0.5%.

Naresh Kumar [3] In this paper creator outlines that Biometric assertion is known as the utilization of evident physiological and direct qualities like exceptional finger impression, palm print, iris, go facing walk, signature, and so forth. For seeing people, Fingerprint attestation is a champion among the most arranged and most dependable biometric highlights utilized for individual particular affirmation. Generally speaking, novel finger impression pictures are of low quality to think highlights. The essential reason for this paper is to vanquish this issue. We are utilizing CLAHE (separate constrained versatile histogram evening out) is related with update the qualification of little tiles and to cement the neighboring tiles in a picture by utilizing bilinear expansion, which disposes of the misleadingly instigated cutoff focuses with the target that we can without a lot of a stretch concentrate highlights from excellent engraving picture. In this paper, we are utilizing minutia point extraction and arranging system for perceiving specific remarkable engraving.

Preeti Pathak [4] in this paper creator shows a noteworthy technique for unique engraving attestation today is to expel nuances from finger impression pictures and to perform finger impression arranging in context on the measure of relating focal points pairings. A hero among the most troublesome issues in intriguing engraving insistence has been that the certification execution is on an essential dimension influenced by fingertip surface condition, which may change subordinate upon typical or singular causes. Watching out for this issue this paper proposes some additional fragments that can be utilized to reinforce the present methodologies followed in making Fingerprint insistence framework. To expand security and accuracy we can utilize Infrared method and structure to dole out score of respect to every one of evacuated focal points.

3. PROBLEM WITH EXISTING SYSTEMS

In the existing fingerprint matching algorithms, there are various problems such as existing systems has very high computation time and high FRR values which must be required to reduce further. Existing system use single Minutiae-Singular based on without orientations but in the proposed work Enhanced Minutiae-Singular Points Network technique will be used that will also match the fingerprint orientation. Some characteristics of the minutiae are used to determine the

similarity score of two fingerprints which can also be improved by using multiple properties.

4. PROPOSED METHODOLOGY

4.1. Minutiae matching

Most modern fingerprint matching technologies use particulars coordinating. The thought being on the off chance that you can discover enough particulars in a single picture that have relating details in another picture then the pictures are in all likelihood from a similar unique finger impression. Details are normally coordinated together by their separation with respect to other particulars around it. On the off chance that various focuses in one picture have comparable separations between them, at that point different focuses in another picture then the focuses are said to coordinate. It is the possibility of this paper to include the requirement that the districts and conceivably edges between the details ought to be the around equivalent to well.

4.2. The process

Before minutiae matching can be should be possible with the area data the unique mark must be preprocessed. The preprocessing of the picture is done in four phases. First, the unique mark is diminished. After a unique mark is diminished it is less demanding to discover details, for example, bifurcations and endpoints straightforward. In the wake of diminishing edge, improvement is utilized to fill in holes in edge detail. The holes can be a consequence of the diminishing calculation or the nature of the info unique mark picture. After the holes have been filled in the district shading starts. In some cases, fake districts emerge from the diminishing procedure because of a few states of the underlying information, in this way after the locales are discovered little incorrect areas are expelled from the image.

4.3. Thinning

Thinning will be finished utilizing the Zhang-Suen calculation, A Fast Parallel Algorithm for Thinning Digital Patterns. A 3x3 window is moved down all through the picture and estimations are done on every pixel to choose whether it needs to remain in the picture or not. To the privilege is a portrayal of the window and the order given to the pixels that encompass the middle pixel. The calculation will runs two sub-cycles persistently until the picture achieves a steady state.

4.4. Scanning a fingerprint

Many of the algorithms require a direct output of the unique mark picture. Filtering is accomplished by moving a fixed size window over the image in a network like an example. This can be found in the picture to one side. Notwithstanding, it is conceivable that territories of intrigue don't lie soundly in one of the windows. To represent this the window is then moved just vertically, just on a level plane, and after that vertically and on a level plane significantly the window estimate and the lattice filter is finished once more. Along these lines, it takes four outputs of the picture to do the straight sweep. This isn't an issue since it is utilized for the preprocessing of a unique mark picture (which just happens once) and is done in a direct way.

4.5. Edge enhancement

Regions are characterized by the unique mark edges that bound them. Be that as it may, in light of the idea of the unique mark and current examining advancements edge detail can be absent from the checked finger impression. Besides, the diminishing calculation can likewise dispose of a portion of the edge detail. Most missing edges appear as holes in an edge and are typically effectively distinguished by a human. The issue is motivating a

PC to remember them. Over the span of the venture, we built up our very own edge improvement method, which got a portion of the basic holes, notwithstanding, did not fill in the greater or progressively complex ones. In this way, we partook in the edge upgrade process by putting in a portion of the edges that were in the first picture however got dropped by the diminishing procedure.

4.6. Region coloring

After the edges have been legitimately added to the picture as important the district shading can start. The district shading is like bringing the picture into Microsoft Paint and utilizing the shading fill device on all the valleys of the unique mark, nonetheless, the code does it in a somewhat more proficient way. The picture is examined and hues (spoken to by numbers) are related to a void area in the picture. While the picture is being hued in every pixel takes a gander at the pixels around it to figure out what shading it ought to be and shading equivalences are set up. After the picture is finished being filtered, it is examined again this time supplanting every one of the hues in the comparability set with only one of the hues from them. In this manner, every pixel in a district has a similar shading number related to it.

4.7. Spurious region removal

As antiquity of the diminishing procedure little locales are made where there ought to be no district. Since the coordinating procedure depends on the district preprocessing to be exact these locales must be expelled.

4.8. Testing

After the four stages of preprocessing are finished the picture can be utilized for the coordinating procedure. Notwithstanding, first we will demonstrate that the area information was a decent sign of coordinating particulars. That is we have to demonstrate that the measure of locales between two details is steady crosswise over a wide range of outputs of a similar unique finger impression. To test our speculation 8 unique sweeps of a similar finger will be utilized. Two separate particulars sets were utilized and the relating details sets were found on every one of the 8 filters. The measure of edges and the measure of areas between the picked details focus will be determined and the outcomes will be analyzed.

5. RESULTS AND DISCUSSION

The proposed system is tested on various input fingerprints collected from FVC2000 Data set. This dataset contains various fingerprint images having rotation and cutting factors.

The accuracy of the proposed system on fingerprints of various persons is as below:

Table 1: Accuracy test

Person	Test Cases	Accuracy
Data Set 1	50	98%
Data Set 2	20	96%
Data Set 3	30	100%

Graph showing the accurate representation of the above graph:



Fig. 1: Accuracy graph

FRR and FAR for overall data set is as follows:

Table 2: FRR and FAR values

	Data set 1		
	T=.20	T= .30	T=.40
FRR	4%	0.001%	11%
FAR	3%	0.0035%	08%

6. CONCLUSION

Proposed system for finger print detection system is based on multiple point minutiae networks. In this work various functions such as fingerprint image enhancement, fingerprint image binarization and then segmentation is performed. Finally minutia points are extracted and compared. If comparison results to the particular threshold then it is said that the fingerprints are matched.

In future, the system can be tested on real-world images and a proposed algorithm can be improved so that it can work on the images containing attacks (noise, blur or rotation) on them.

7. REFERENCES

- [1] Koichi Ito, Ayumi Morita1, Takafumi Aoki, Hiroshi Nakajima, Koji Kobayashi, and Tatsuo Higuchi, "A Fingerprint Recognition Algorithm Combining Phase-Based Image Matching and Feature-Based Matching", Springer-Verlag Berlin Heidelberg March 2004, Vol, E87-A, pp.684-691
- [2] Minwei He, Huimin Zhao, "A Identity Authentication Based on" Fingerprint Identification", Proceedings of the 2009 International Symposium on Web Information Systems and Applications (WISA'09), May 22-24, 2009, pp.261-263
- [3] Le Hoang Thai and Ha Nhat Tam, "Fingerprint recognition using standardized fingerprint model", IJCSI International Journal of Computer Science Issues, Vol. 7, Issue 3, No 7, pp. 11-17, May 2010
- [4] Lavanya BN and K B Raja, "Performance Evaluation of "Fingerprint Identification Based on DCT and DWT using Multiple Matching Techniques", IJCSI International Journal of Computer Science Issues, Vol. 8, Issue 6, No 1, November 2011, pp.275-283
- [5] Smita S. Mudholkar, Pradnya M. Shende, Milind V. Sarode, "Biometrics Authentication Technique for Intrusion Detection Systems Using Fingerprint Recognition", International Journal of Computer Science, Engineering and Information Technology (IJCEIT), Vol.2, No.1, pp.57-64, February 2012
- [6] Madhuri and Richa Mishra, "Fingerprint Recognition" using Robust Local Features, International Journal of Advanced Research in Computer Science and Software Engineering, Volume 2, Issue 6, June 2012, pp.5849-5851, ISSN: 2277 128X
- [7] Sangram Bana and Dr Davinder Kaur, "Fingerprint Recognition using Image -Segmentation", (IJAEST) International Journal Of Advanced Engineering Sciences And Technologies, Vol. No. 5, Issue No. 1, pp.012 - 023, June 2012.
- [8] Ravi Subban and Dattatreya P. Mankame, "A Study of "Biometric Approach Using Fingerprint Recognition", Vol. 1, No. 2, pp.209-213, May 2013.
- [9] Manisha Redhu, Dr. Balkishan, "Fingerprint Recognition" "Using Minutiae Extractor" International Journal of Engineering Research and Applications (IJERA), Vol. 3, Issue 4, Jul-Aug 2013, pp .2488-2497, ISSN: 2248-9622.

- [10] Iwasokun and Gabriel Babatunde, "Fingerprint Matching Using Minutiae-Singular Points Network," International Journal of Signal Processing, Image Processing and Pattern Recognition, Vol. 8, No. 2 (2015), pp. 375-388.
- [11] Le Hoang Thai and Ha Nhat Tam, "Fingerprint recognition using standardized fingerprint model", IJCSI International Journal of Computer Science Issues, Vol. 7, Issue 3, No 7, May 2010.
- [12] S M Mohsen, S M Zamshed Farhan and M M A Hashem, "Automated fingerprint recognition: using minutiae matching technique for the large fingerprint database", ICECE 2004, 28-30 December 2004, Dhaka, Bangladesh.
- [13] Smita S. Mudholkar, Pradnya M. Shende, Milind V. Sarode, "BIOMETRICS Authentication technique for intrusion detection systems using fingerprint recognition", International Journal of Computer Science, Engineering and Information Technology (IJCEIT), Vol.2, No.1, February 2012.
- [14] Parul Mishra, Ajit Kumar Shrivastava, Amit Saxena, "Enhanced Thinning Based Finger Print Recognition", International Journal on Cybernetics & Informatics (IJCI) Vol.2, No.2, April 2013.
- [15] Muzhir Shaban Al-Ani, "A Novel Thinning Algorithm for Fingerprint Recognition", International Journal of Engineering Sciences, 2(2) February 2013, Pages: 43-48.
- [16] Shahram Mohammadi, Ali Frajzadeh, "A Matching Algorithm of Minutiae for Real-Time Fingerprint Identification System", International Journal of Electrical, Computer, Energetic, Electronic and Communication Engineering Vol: 3, No: 12, 2009.