



INTERNATIONAL JOURNAL OF ADVANCE RESEARCH, IDEAS AND INNOVATIONS IN TECHNOLOGY

ISSN: 2454-132X

Impact factor: 4.295

(Volume 5, Issue 5)

Available online at: www.ijariit.com

Rainfall prediction using modified linear regression

Aniket Dixit

aniketdixit20143@gmail.com

Jaipur Engineering College and Research Center, Jaipur, Rajasthan

ABSTRACT

Analytics usually involves finding out past historical knowledge to analysis potential trends. Atmospheric phenomenon is that the state of the atmosphere at a given time in terms of weather variables like precipitation, cloud conditions, temperature, etc., the prevailing models use data processing techniques to predict the precipitation. The most disadvantage of those systems is that it doesn't offer associate estimates of the expected precipitation. The system calculates the average of values and perceives the state of the atmosphere, which doesn't yield estimate results. This paper represents a mathematical methodology referred to as regression to predict the precipitation in varied districts in the southern states of Bharat. The regression methodology is changed to get the foremost optimum error proportion by iterating and adding some proportion of error to the input values. This methodology provides an associate estimate of precipitation exploitation different atmospherical parameters like average temperature and inclementness to predict the precipitation. The regression is applied to the set of knowledge and also the coefficients area unit accustomed predict the precipitation supported the corresponding values of the parameters. The most advantage of this model is that this model estimates the precipitation supported the previous correlation between the various atmospherical parameters. Thus, associate estimate price of what the precipitation may well be at a given period and place will be found simply.

Keywords— *Linear regression, Machine learning, Predictive modeling*

1. INTRODUCTION

The application of science that predicts the condition of atmosphere at any given state of time that is known as forecasting. There's a many various strategies to forecast. Forecast notices ar vital as a result of they'll be wont to stop destruction of life and surroundings. The forecasting strategies utilized in the traditional time typically inexplicit pattern recognition i.e., they typically place confidence in perceptive patterns of events. As an example, it's found that the subsequent day has brought truthful weather; if the preceding day sunset is especially red. However, all of the predictions prove to not be reliable. Here during this system we have a tendency to used parameters like average temperature, inclementness to predict the precipitation. The information set of a hundred years is

taken for this project and also the enforced victimisation Numerical strategies. forecasting system uses part parameters like wetness, wind and temperature and forecast weather supported preceding record, thus, this foretelling is additional reliable. There are several application that this technique be used like traffic, Agriculture, Marine, Forestry, Navy, and Military etc. The coaching of the information is finished employing a changed version of regression toward the mean methodology. The error share between the particular and expected is employed to enhance the coaching set and train the information with the new inputs therefore, with the benefits this methodology, we will forecast the outcomes until there's no additional improvement within the error share. This methodology may be wont to forecast the precipitation and forestall the destruction caused by it to the life or property.

2. BACKGROUND

2.1 Linear regression

Simple regression is helpful for locating relationship between two continuous variables. One is predictor or independent variable and other is response or dependent variable. It looks for applied math relationship but not settled relationship. Relationship between two variables is said to be deterministic if one variable can be accurately expressed by the other.

In statistics, linear regression is a linear approach to modeling the relationship between a scalar response (or dependent variable) and one or more explanatory variables (or independent variables). The case of one explanatory variable is called simple linear regression. For more than one explanatory variable, the process is called multiple linear regression

The general equation for a linear regression is given as

$$y_i = \beta_0 1 + \beta_1 x_{i1} + \dots + \beta_p x_{ip} + \varepsilon_i = \mathbf{x}_i^T \boldsymbol{\beta} + \varepsilon_i, \quad i = 1, \dots, n,$$

Where y denotes the dependent variable (rainfall) and x_i where $i=1,2,\dots,n$, denotes the explanatory or independent variables and is called the intercept. The general linear regression equation used in this system is given as

$$\text{Rainfall} = (\text{AvgTemp} * X1) + (\text{CloudCover} * X2) +$$

Where $X1$, $X2$ represents the different coefficients for different districts.

2.2 Related work

Daniela Şchiopu [1] and his team in his publication used SPSS 13.0 tool and forecasted temperature from data collected from the Hong Kong Observatory website. They used factor analysis technique in the SPSS tool to reduce the complexity in calculations the temperature using correlation and regression.

Samuel and Raajalakshmi [2] used multiple linear regression to predict the monsoon rainfall by using outgoing long wave radiations, global temperatures and sunspots out of Tamil Nadu. They collected data from 110 years from Indian Meteorological department, Chennai

Paras and Sanjay [4] developed a forecasting model using mathematical regression. The weather data is collected for a period of 3 years and this model can predict max and min temperatures for a period of 15 to 45 weeks into the future.

Goutami [5] used Multiple Linear Regression to estimate average summer – monsoon rainfall on the data from 1871 to 1999. She analysed the monthly rainfall of Indian summer monsoon months.

Kannan, Ramachandran and Prabhakaran [6] implemented multiple linear regression and Karl Pearson coefficient. They made a short – term forecast over a particular state. They used fuzzy sets, neural networks to analyse the data.

Retius and Delson [7] developed a weighted multiple regression model. They used combination of time series analysis and regression to offer a powerful system for predicting annual rainfall.

Timothy and Shukla [8] proposed the F-test and Screening procedure. a cross-validation procedure is used first to screens models out that are all likely to poorlyperform on independent datasets, then the error of each model is compared with those all other models to determine threshold of significance in error variance.

Guhathakurta [11] used dynamic models on nonlinear equations that atmospheric system governs. They implemented neural networks with three layer that works on one input, one output and one hidden layer. The network training is carried out till mean square error of 0.0005 to 0.001.

Nikhil [12] proposed correlation and regression both linear and multiple linear regression. He estimated the rainfall by analyzing the atmospheric factors like precipitation, vapour pressure, average temperature and cloud cover.

2.3 Data collection

The data necessary for the system to predict rainfall are previous year rainfall data, average temperature and cloud cover over the particular area. The data is collected for a period of 70 years i.e., from 1901 to 1970 for each month. This data is then used to process in the system to predict the rainfall.

The atmospheric data is collected from the website http://www.indiawaterportal.org/met_data/ published by Arghyam initiative. In this the data for various parameters and states is collected to train the system. The data is collected from the user regarding the state, district, and the year and month which he wants to predict the rainfall. This data is used to formulate the equation for predicting the rainfall by calculating the average temperature and cloud cover at that particular area.

3. METHODOLOGY

We use a modified version of Linear Regression to perform the prediction of rainfall in our system. The process of this method is explained in this following steps

- The input data sets are examined. The input data of training set is obtained from 1901 to 2002 for each month to perform the proposed system and check the method.
- The training and test data are formed from the input data sets. The training set contains the average temperature, rainfall and cloud cover from 1901 to 1970 from the input data sets. The proposed method is applied on this training sets. The test data contains the data from 1971 to 2002 on which the testing of model is done.
- The linear regression is applied on the training data sets and the rainfall is forecasted using the rainfall in training data as dependent variable and average temperature and cloud cover as independent variables.
- The error percentage is now calculated by subtracting the predicted value from the actual value and multiplying it with 100 to get percentage.
- The error percentage, we add a certain percentage of error percentage to the input training set and repeat the steps 3 and 4 till there is no further increase in the error. The iterative steps that need to be followed are given by
 - Add 20 percent of error percentage to the input training rainfall value and now these values are used in the linear regression method to train i.e., steps 3 and 4 is executed.
 - If the results obtained are not satisfied, we can repeat the step 3, 4, 5 till the point where by adding the error percentage there will be no improvement in the predicted rainfall.
 - We can try the above step by increasing the error percentage value that is added to the training set, i.e., say we are not satisfied with the error percentage after the first iteration, so we can increase the error percentage that is added in the next iteration to 40 % and increase so on..
 - In the above steps the coefficients of the independent variables in the linear regression keep on changing.
- The latest updated coefficients to forecast the test data and this produces the most accurate forecast values.




Fig. 1: System architecture

Table 1: Input training data sheet of Krishna district August month

Year	Rainfall	Average Temperature	Cloud Cover
1901	120.387	27.88	70.716
...
1966	126.49	29.074	69.242
1967	90.936	27.997	71.668
1968	28.831	29.353	69.242
1969	90.497	28.273	69.799
1970	198.853	27.291	71.421

The input data is used to compare the state and district along with month and year, so that the right coefficients are used to perform the forecast, i.e., the values are used in calculating the rainfall. The system automatically find the relative coefficients based on the user input of state, district, year and month. And performs the necessary calculations and provide the forecast values in the output page.

4. EXPERIMENTAL RESULTS

The following is the experimental usage of the system proposed. The experiment is carried out on the Andhra Pradesh State – Krishna District. The data is collected for every district for a period of 102 years from 1901 to 2002 for all the months i.e., from January to December. The training is done using the data from these years. There are four columns in the input year, rainfall, average temperature, cloud cover. The rainfall is taken as dependent variable as it the variable that we are trying to predict, the average temperature and cloud cover are the independent variables that are used to predict the rainfall over the future. The example sample input data is shown in the table 1, which is used as training data set and perform linear regression on it.

Table 2: Details of new values of regression parameters changing

	Average Temperature Coefficient	Cloud Cover Coefficient	Constant Value
First Iteration	-53.378	0.647	1584.936
Final Iteration	-52.785	0.598	1604.693
Times Performed	5	5	5

In order to obtain the average temperature and cloud cover value of future time period the linear regression is applied to average temperature and year to obtain the equation to calculate the average temperature, similarly for the cloud cover. The following results are obtained after the fifth iteration.

Table 3: Forecast result

Year	Actual Rainfall	First Predicted Value	Final Predicted Rainfall	Error Percent
1973	146.344	133.811857	136.869892	6.47
1974	122.028	118.990924	122.453906	-0.34
1975	96.152	125.195051	128.491728	-33.63
1976	176.213	168.273058	171.229017	2.82
1977	150.176	159.603798	162.478115	-8.19

The average error percentage of the above test is around 7%, the negative sign indicates that the error is decreased overall.

5. CONCLUSIONS

Rainfall is the major cause for many of the natural disasters like flash floods, droughts, tsunamis. So in order to prevent these

natural calamities, we should be able to predict the cause of the source. The proposed system can be used to estimate the rainfall over the required period so that the respective authorities can take precautions to prevent the loss of life and property. The proposed system uses modified linear regression approach to predict the rainfall that has less error percentage than compared to most data mining techniques like clustering, back propagation which provides the generalized values rather than estimate values. This data is used to perform the necessary calculations to predict the rainfall from average temperature and cloud cover of that particular district. We may improve this system further using multiple regression which can take multiple months at a time as input and just forming a single equation which leads nearer to an accurate rainfall predicted. The proposed approach may also be used in other applications like, in schools to predict the average marks of their students, in sports to predict the scores or winning teams based on their previous performance, in enterprises to estimate their profits.

6. REFERENCES

- [1] Daniela Şchiopu, Elia Georgiana Petre, Catalina Negoia “Weather Forecast using SPSS Statistical Methods” This paper presents a case study of using SPSS 13.0 in weather prediction. Vol. LXI No. 1/2009 Gas University of Ploiesti, Bd. Bucuresti, No. 39, 100680, Romania.
- [2] R. Samuel Selvaraj and Raajalakshmi “Statistical Method of Predicting the Northeast Rainfall of Tamil Nadu”, Universal Journal of Environmental Research and Technology. Volume 1, Issue 4: 557-559.
- [3] Dhawal Hirani and Dr. Nitin Mishra “A Survey on Rainfall Prediction Techniques” International Journal of Computer Application (2250-1797) Volume 6,2, March- April 2016.
- [4] Paras and Sanjay Mathur “A Simple Weather Forecasting Model Using Mathematical Regression” Department of Electronics and Communication Engineering, College of Technology, G.B. Pant University of Agriculture and Technology, Pantnagar, (India) 263 145.
- [5] Goutami Bandyopadhyay “The Prediction of Indian Monsoon Rainfall: A Regression Approach” 1/19 Dover Place Kolkata-700 019 West Bengal India.
- [6] M. Kannan, S. Prabhakaran, P. Ramchandran “Rainfall Forecasting Using DataMining Techniques”. International Journal of Engineering and Technology Vol.2 (6), 2010, 397-401.
- [7] Delson Chikobvu and Retius Chifurira “A Weighted Multiple Regression Model to Predict Rainfall Patterns: Principal Component Analysis approach” Mediterranean Journal of Social Sciences MCSER Publishing, Italy.
- [8] Timothy DelSole and J. Shukla “Linear Prediction of Indian Monsoon Rainfall”.
- [9] India Metrological department (1973): Northeast monsoon; FMU Rep.no .iv:18.4.
- [10] S. Balachandran., R. Asokan, and S. Sridharan, (2006): Global surface temperature in relation to Northeast monsoon rainfall over Tamil Nadu. J. Earth. syst. Sc., vol 115: 349-362.
- [11]Guhathakurta, P (2005) “Long-range monsoon rainfall prediction of 2005 for the districts and sub-division Kerala with artificial neural network”, Current Science, 773-779.
- [12]Nikhil Sethi *et al*, “Exploiting Data Mining Technique for Rainfall Prediction” in International Journal of Computer Science and Information Technologies ISSN: 0975 9646 Vol. 5 (3), pp. 3982-3984, 2014.
- [13]Guhathakurta, P (2005) “Long-range monsoon rainfall prediction of 2005 for the districts and sub-division Kerala with artificial neural network”, Current Science, 90,773-779.

- [14] Hastenrath, S (1988) "Prediction of Indian Monsoon Rainfall: Further Exploration", *Journal of Climate*, 1, 298-304.
- [15] Montgomery, D. C. and Lynwood, A. J., 1996, *Forecasting and Time Series Analysis*, New York, McGraw-Hil.